






SHEET NUMBER	SHEET NAME
01	Index
02	System Block Diagram
03	EXHAT-100
04	USB HUB
05	ASML182e PCIe 2port Switch
06	UIM Card
07	USB IO
08	Micro USB
09	RTL8111G-CG
10	EEPROM & LED
11	3V/1.8V/1.2V Voltage Regulator
12	Mechanical Component
13	History

	Title	
	Index	
	Size	Document Number
	B	UP-CRST01
	Rev:	
	A0.2_0_0	
Date: Friday, October 13, 2017		Sheet: 1 of 13






USB HSIC




Title		
USB HSIC		
Size	Document Number	Rev:
B	UP-CRST01	A0.2_0_0
Date: Friday, October 13, 2017		Sheet: 4 of 13




ASM1182e PCIe 2port Switch



Size B Document Number UP-CRST01 Rev: A0.2_0_0


Date: Friday, October 13, 2017 Sheet: 5 of 13








RVP use BGF148



 an ASUS ASSOC. CO.	Title		Rev:
	Micro SD		A0.2_0_0
Size	Document Number	Date:	
B	UP-CRST01	Friday, October 13, 2017	
Sheet:		8 of 13	








Title		
3V/1.8V/1.2V Voltage Regulator		
Size	Document Number	Rev:
B	UP-CRST01	A0.2_0_0
Date: Friday, October 13, 2017		Sheet: 11 of 13

SCREW HOLE



MOUNT HOLE


REAR CAM BOSS

FRONT CAM BOSS

Bottom View




(TF)PCB:UP-CREX Board,Rev.A0.2_0_0,6Layers Green,1*2.66x56x1.6mm

 an ASUS ASSOC. CO.	Title Mechanical Component	Rev: A0.2_0_0
	Size B	Document Number UP-CRST01
Date: Friday, October 13, 2017	Sheet: 12 of 13	

History

DATE	Revision	Description
20171006	A0.2_0_0	P11 Change U23 to MP2143DJ-Z to fix thermal issue P04 Add 0ohm to reserve USB interface control P03 connect USB interface to HSIC for reserve P10 add pin header for W/P



an ASUS ASSOC. CO.

TitleHistory

SizeB

Document NumberUP-CRST01

Rev:A0.2_0_0

Date: Friday, October 13, 2017

Sheet: 13 of 13